## 2021 CERTIFICATION

2022 JUN 25 PH2:40

Consumer Confidence Report (CCR)

Franklin County Water Association Ino	
PRINT Public Water System Name	_
PRINT Public Water System Name  DIGODO # DIGODO # DIGODI # DIGODI # DIGODI  List PWS ID #s for all Community Water Systems included in this CCP	
List PWS ID #s for all Community Water Systems included in this CCR	

CCR DISTRIBUTION (Check all boxes that apply)			
INDIRECT DELIVERY METHODS (Attach copy of publication, water bill or other)	DATE	ISSU	JED
the Advertisement in local paper (Attach copy of advertisement)	60	2 4	1.0
□ On water bill (Attach copy of bill)	3/3	210	<b>M</b>
□ Email message (Email the message to the address below)		-	-
Other (Describe:			
DIRECT DELIVERY METHOD (Attach copy of publication, water bill or other)	DATE	ISSU	ED.
Distributed via U.S. Postal Service			
□ Distributed via E-mail as a URL  (Provide direct URL):			
Distributed via Email as an attachment			-
□ Distributed via Email as text within the body of email message			
□ Published in local newspaper (attach copy of published CCR or proof of publication)			
□ Posted in public places (attach list of locations or list here)			
T Dooted online of the fall win would			
□ Posted online at the following address (Provide direct URL):			
CERTIFICATION  I hereby certify that the Consumer Confidence Report (CCR) has been prepared and distributed to its custome the appropriate distribution method(s) based on population served. Furthermore, I certify that the information is correct and consistent with the water quality monitoring data for sampling performed and fulfills all CCR required.	contained:	in the r	ranort I
of Federal Regulations (CFR) Title 10 Part 141.151 – 155.  Name  Office Manage  Title	le   &3 Date	12	ð
SUBMISSION OPTIONS (Select one method ONLY)			
You must email or mail a copy of the CCR, Certification, and associated proof of delive the MSDH, Bureau of Public Water Supply.	ery met	hod(s	;) to

Mail: (U.S. Postal Service)
MSDH, Bureau of Public Water Supply
P.O. Box 1700
Jackson, MS 39215

Email: water.reports@msdh.ms.gov

## 2021 Annual Drinking Water Quality Report Franklin County Water Association, Inc.

Franklin County vvaler Association, ......
PWS#: 0190008, 0190009, 0190010, 0190014 & 0190015

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to providing you with information because informed customers are our best allies.

If you have any questions about this report or concerning your water utility, please contact Jan Graves at 601.384.2046. We want our valued customers to be informed about their water utility. If you want to learn more, please join us at any of our regularly scheduled meetings. They are held on the first Monday of the month at 5:30 PM at135 HWY 98 E, Bude, MS 39630.

Our water source is from wells drawing from the Miocene Series Aguifer. The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Franklin County Water Association have received a lower ranking in terms of susceptibility to contamination.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2021. In cases where monitoring wasn't required in 2021, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID# (	19000	8		<b>TEST RESUL</b>	TS				TEST	
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely So	ource of Contamination	
Microbiolog	gical Co	ontamina	ants							
Total Coliform     Bacteria including     E. Coli		May	Monitoring	0	NA	0	coliform b	esence of acteria in f monthly samples	Naturally present in the environment E Coli comes from human and animal fecal waste	
Inorganic (	Contam	inants		***	-	"				
10. Barium	N	2021	.00199	No Range	ppm	2	2	discharg	e of drilling wastes; e from metal refineries; of natural deposits	
14. Copper	N	2017/19*	s.1	0	ppm	1.3	AL=1.3	systems;	on of household plumbing s; erosion of natural s; leaching from wood ratives	

16. Fluoride	N	2021	.344	No Range		ppm		4	4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2017/19	* 3	0		ppb		0 AL=	15 Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2021	64.4	No Range		ppm	2	20	Road Salt, Water Treatment     Chemicals, Water Softeners and     Sewage Effluents.
Disinfection	n By	-Produ	cts						
81. HAA5	N	2021	22.4	No Range	ppb		0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2021	22.6	No Range	ppb		0	80	By-product of drinking water chlorination.
Chlorine	N	2021	2.1	1 – 2.8	mg/l		0 1	MRDL = 4	Water additive used to control microbes

PWS ID#	01900	09		<b>TEST RE</b>	SUL	TS				TEST
Contaminant	Violation Y/N	Date Collecte	d Level Detecte	Range of Dete d # of Sampl Exceeding MCL/ACL/MI	es g	Unit Measure -ment	MCL	G MC	L	Likely Source of Contamination
Inorganic (	Contan	inants								
10. Barium	N	2021	.0024	No Range		ppm		2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2018/20*	.1	Ö		ppm	1	.3 AL=	:1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2021	.6	No Range		ppm		4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2018/20*	3	0		ppb		0 AL	=15	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2021	62.1	No Range		ppm		20	0	Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfection	on By-I	roduc	ts							
81. HAA5		2021		No Range	ppb		0	60		y-Product of drinking water sinfection.
82. TTHM [Total trihalomethanes]	N	2021	42.3	No Range	ppb		0	80		y-product of drinking water Ilorination.
Chlorine	N	2021	1.6	.8 – 2.6	mg/l		0 1	MRDL = 4	1	ater additive used to control icrobes

PWS ID#	019001	L <b>O</b>		TEST RESUL	TS	TEST		
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	ninants						
10. Barium	N	2021	.0473	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
17. Lead	N	2017/19*	0	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate (as Nitrogen)	N	2021	.218	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits

Sodium	N	2021	15.9	No Range	pp	m	20	0	Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfec	tion By	y-Produ	cts						
81. HAA5	N	2018*	7	No Range	ppb	0	6		y-Product of drinking water sinfection.
Chlorine	N	2021	1.7	1 – 2.5	mg/l	0	MRDL =		ater additive used to control icrobes

PWS ID#	01900	14		TEST RES	ULTS				TEST
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects # of Samples Exceeding MCL/ACL/MRD	Measur -ment	e MCL	G MC	L	Likely Source of Contamination
Inorganic (	Contam	inants							
8. Arsenic	N	2021	.52	No Range	ppb	Г	n/a	10	Erosion of natural deposits; runc from orchards; runoff from glass and electronics production waste
10. Barium	N	2021	.0813	No Range	ppm		2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
16. Fluoride	N	2021	.103	No Range	ppm		4	4	Erosion of natural deposits; wate additive which promotes strong teeth; discharge from fertilizer an aluminum factories
17. Lead	N	2019/21	1	0	ppb		0 AL=	=15	Corrosion of household plumbin systems, erosion of natural deposits
Sodium	N	2021	12.2	No Range	ppm		20	0	Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Volatile Or	ganic C	Contami	nants						
76. Xylenes	N	2021	.001777	No Range	ppm		10	10	Discharge from petroleum factories; discharge from chemical factories
Disinfectio	on By-P	roducts	5						
82. TTHM [Total trihalomethanes]				o Range p	opb	0	80		r-product of drinking water lorination.
Chlorine	N :	2021 2	.1 1	.1 – 3.5 r	ng/l	0	MRDL = 4	1	ater additive used to control crobes

PWS ID#	019001	5		TEST RESULT	'S			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganio	: Contan	ninants						
8. Arsenic	N	2021	1.08	No Range	ppb	n/a	10	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2021	.0397	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2019/21	0	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2019/21	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*	13000	No Range	ppb	0	0	Road Salt, Water Treatment Chemicals, Water Softeners and

								Sewage Effluents.
Disinfection	on By-	Produc	ets					
81. HAA5	N	2017*	1	No Range	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2017*	4.46	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2021	1.2	-7 – 1.8	mg/l	0	MRDL = 4	Water additive used to control microbes

<sup>\*</sup> Most recent sample. No sample required for 2021.

Microbiological Contaminants:

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. On System # 190008 – FCWA –Oldenburg in the month of May 2021 we were required to collect and test for two samples on Chlorine and Bacteria, however we only collected one sample. The correct number of samples have since been collected and test show no bacteria.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1.800.426.4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Franklin County Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

<sup>(1)</sup> Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially harmful, waterborne pathogens may be present or that a potential pathway exists through which contamination may enter the drinking water distribution system.

AFFIDAVIT/INVOICE		
FRANKLIN ADVOCATE P.O. BOX 576 MEADVILLE, MS 39653	INV. DATE:	491 6/23/2022
TO: FRANKLIN COUNTY WATER ASSOCIATION PO BOX 716 MEADVILLE, MS 39653		
	NO.	PO
2021 CCR REPORT		\$528,00
Being swom, says that he is Publisher of the Franklin Adovate, which publishes a weekly newspaper in the County of Franklin, State of Mississippi: and the attached notice appeared in the ssue(s) of the Franklin Advocate  PUBLISH: June 23, 2022  Sworn to and subscribed before me on his 25 day of furn 2022  Journ Manual County Public and Commission Expires 10-21-23	0 W.CO	
		1

## םםםםםם

4.

## Franklin County Water Association, Inc. PWS#: 0190008; 0190008; 0190010; 0190014 & 0150015 June 2022 1

of to present to you this year's Annual Charly WalterReport. This report is this ignored to inform you about the interfy value of the content was continued in providing you with information and customers amount part at the content was content. We are committed to providing you with information by Questions about this model.

because interned customers amour best store.

If you have any questions about this report or concerning your water utility, please contact Jan Graves at 501;284,2048. We want our valued customers, to be informed about their water utility. If you want to from more, please join in at any of our regularly incheduled mouthing. They are had on the finite Monday of the month at 6:30 PM with SHW. 88 E) But of NS 39830.

Our water source is from wells drawing from the Micosop Sentes Aquillor. The source Water assessment her been permissional for your public water system to defaunts the overall assessful that clinking water supply to transfer assessment her been provided for our public water system and assessment whether were multiple been surrising to our public vater system and to invalidate for veguing upon request This waits for the Frankin County Water Association have recovered a lower random in secreptability to containing upon request This waits for the Frankin County Water Association have recovered a lower random in Section 1 and 1 available below lists allied the drinking water.

We randow manior for contemporate in your triating years according to Federal and State Leas. This hole below text also the datalog water according to Federal and State Leas. This hole below text also the datalog water according to Federal and State Leas. This hole below text also the datalog water required in 1907, the take under the present also the state of the present of January 14 to December 31<sup>th</sup>, 2021. In cases where monthing years required in 2021, the take under the past recent results and realts, 49 which they are the surface of land or underground, it distalves naturally occurring the present of the past of th

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these, imms we've provided the

Action Layer - the concentration of a contaminant which, it exceeded, triggers treatment or other togetermental which a water must failely.

Maximum Coolemban! Lovel (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant light is allowed in diploing weller. McLis are selected to the MCLOs as function using the best available transmit relationary.

Maximum Contaminant Lovel Good (MCLG) - The "Good (MCLO) is this level of a contaminant in chinking water below which there is no known or expected text to health. MCLOs allow for a margin of safety.

Macinium Residual Disinfection Leval (MRDL) — The highest level of a disinfection allowed in delaying water. There is convincing artistics of a disinfection is necessary for control microbial contaminants.

Maximum Residual Distribution flow Goal (MIDDLG).—The level of a distribution restanded interestant below which there is no known or expected that of health. MRDLGs do not relied it benefits of the use of distributions to control interests configurations.

Planto per militar (opm) or Malignama partitor (mg/l) - one sout per militar come ponde to one minute history years or a single pertiny in \$10,000:

T VV S KENT	OTAN	ານຮ		TEST R	ESULT	S	•		-	TEST
Contaminant,	Yolatio	Collect		Ranga of De id it of Sien Exceedi MCL/ACL/N	plet Jy	Unit Ipacura mont	WCTC	MCL	Limly.s	Source of Contamination
Microbiol	gical (	Contam	lnants				a .			7 . 13
1. Total Callorn Bacteria Inclining E. Coll	-	May	Monitor	ng Q	, N	A .	O	coliforn	presence of buckyja in of monthly	convironment E Co3
inorganic	Conta	minant	8 .	11	<del>: '</del>	5 · ·		L	nnmolos	animal found words
O. Budum	Ŋ	2021	03199	No Ronge.	Ps	on T	2		discher	go of drawny wastes; po from metal refinence; of national dances in
4, Сорраг	N.	2017/18	1	a.	PP	im	1,3	ALF	1. Corroste	of rement densests in of household plumbin caresion of natural cleaching from wood days.
B; Fleeride	- N.	. 5051-	344	No Range		Daile .				
	N	1			=		,		teoti:	m of malural deposite; w ne which promotes stron dischenge from for dien um fectorics
odium .	N N	2017/18	L.	- 0	P	рВ	Ö	AL	15 Conor	ion of household plants.
	Sx	2021	64.4	No Range	p	CÁTA .	20		O Rood S	Solt Water-Treatment cals, Water Softeners a a Ethuents
disinfection			ts			***	17	· ·		
L HAAS	W.	2021	22.A	No Rango	pab		b	80	By-Produc	t of delinking water
TTHM: obil natomothanos)		2021	22.8	No Ranga	ded	1.	q	80	dialni actar By-product chloringlion	of danking water
ajiholica	И	2021	2.1	1-28	ing/£		D MA	DL=4	Water addi	fortness of poeritary

PWS ID		-	-			24.0	TEST	ESUL	T	5			74.	amon'
- annual milant	Vig	ation Ai	Colla		Lev Detec		Range of D # of Sar Excess MCL/ACL	ino	M	Unil Pasuro ment	MCLO		MOL	TEST Likely Source of Continuing likely
Inorganic	Cont	ami	nant	5	5) 30	1200						-		· Ware
10. Barium 14. Copper	N.		2021		.0024;		No Rango	: ,	pp	m ]	12.5	2	2	Discharge of deliting wastes; discharge from metal compenses; arester of return desposits
6; Fluòrido	N	-	2018/2		.d.		0.		ppi	'n	13	3 . A	<b>61:3</b>	arasim of rational deposits Complain of household plumbling systems; erosion of natural chapeals, leaching from rood prosourations
7-listad	N		2018/20		3		No Ranga		ppñ				4	Ericston of natural deposits; water additive which promotes strong much discharge from ferillizer en abminum factories.
odian	N	3	021		62.1	ľ	r		ppb		0	A	≈15	Concelon of incischold plumbing Exclerns, prosion of natural descents
isinfectio	W De	T		.1			ia Runga		gjuni		220		0	Road Soll, Water Trabbased and Chimicals, Water Softeness and Sevence Efficiens
HAA5	N	202										4.		
TIHM	N	1		25.7	- 1	No R	anga	ppb		0		60	By	Product of drinking Walter
ola) Nationalhonesi	2	202		42,3		No R	enga	666	0.0	0	10	80	By	nfocklogi: produkt of thinking (vator minutar)
Jori ru	N.	202		1:0		8-2		mg/l		. 0	MR	DL=4	Wat	or additive used to control

TEST RESULTS

\*\*Europe of Detector of Unit Measure

# of Samples Measure

Exacting Measure

MCL/ACLARDL

Loyel Detected

MCLG MCL Daily Source of Contontinallyin

PWS ID#0190010

Contaminant Wiolator Councied

		1000		4.00		MCLAC	LWIND				1		1.5		8			
Inorgan	ic Con	tamir	tant	S	77 <b>4.</b> 55						-		. 1			-	:	- 0
10. Barlum	· IN		21	1.047	73	No Rengo		· point	-				DOM:			-	COLUMN TO SERVICE	12
			VEC 0	C-CATT				Janu		. 11		2	Dischi dischi erosta	mo iro	n reels	ullor i	eries	
W.Lord P.	N.	20 52.63	17/19°	0		سردن <sup>9</sup>	er a dained	. dab	33	41 5. 6	, Vi	F75,	Comos System depos	ion of h	nouseh	old blo	mhhh	ą.
10, Nitroto (as Nitrogan)	N	20	21	S) 520	k <sub>2</sub> = }	No Rende						100	Runott leachin soying depos	troin fe	dillerer	Imorb	W.Y.	比较的
Sodium	N	202	1	15,9	T	No Rungo	1:	pom.	T.	20	1000	10	ood Sal hemical	, Wala	Treel	ment		
Disinfect	ion By	Proc	luct	s .	1-300	2 gt 1						18	ONBOO I	Hivent		10	47	1.6
81. HAAS	N	2018*	7		Not	Ràngo	ppb	[ .	ū	· ·	60	By e <sub>j</sub>	nduct o	ditnidi	g wale	<u>. r)</u>		325
Ohtorino	N.	2021	. 14	7	15-2	5	- тул		0	MRD	Lux	disinf Wala micro	adelN	i imbb	o com	rój: Il	nrak Nrak	*
			â.,.		2				. 1	. :	128		12.1		î,	.3.	di?	y);
PWS ID#					7	EST RI	RSDL	TS.			11.0	- 42		į.	TR	SI.	2. 3	
Cánteminant	-Violat Y/h		alo ected	Len	tod 2	Rossia of Dok # of Samp Exceeds	Hos.	Monstro Monstro Ament		LG:	MCL	Ü	mly Sou	nco of (	440.000	A 1988	'n	Contract of the last
						MCDIACLAY	ARDI:					١.			1	- Y	, 1	
Inorganic	Conta	minar	ıts	L		MCDACLA	RDI:	-	L-,	_1		بيا		•	1		_	
Inorganic a Areno	Conta	minar   2021		.52		MCDACLA) lo Rênga	IRDL:	ppb	L.,	s/a.	41		osion of	fialding eds; ru	dopes	714- nu	nolly:	
				,52 ,0813		MCDACLA	IRDI:	spin pp		1/2			oslon of m orchi d czeciń schargo orango					
R Arcello	N N	2021			N	MCMACLA) la Râqua	IRIDI:				S.T.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	schaige schaige sion of sion of sion of this dec	of drille from the reduced mobile alch pro-	ng yas olai roj dozan dopos moles	dans I Interior Inches Inches Altrans	STORE A	二十四日 智知田 新田
B. Arserbo  10. Berlum  18. Fitanido  7. Lozd	N	2021		,0B13	N	MCDACLA la Rênga la Rûnga	IRDI:	dpin		2	1 T	Did of the state o	o caan oring oring sion of osion of diliva wi th; doc minum mosion	of drille from the reduced moberal alch pro- hauge to fattorie of hous	ng yas oldi rof doord dopos molas rom for chold p	dinasi in on		12 0 2 W. W. C. U. S
R Arcello	N N	2021 2021 2021		,0813 ,4103	P. N	MCDACLA la Rênga la Rûnga	ARDI:	ppin ppin		2	- 1	日本 日	octation of calculations of the calculation of the	ot drill from a rational notices lich pro- surge to fattoria of hous rectory Water Water	ocidinal ocidinal docidi docid			A. 517 S. W. W. W. A. L. C. L.
B. Arserbo  10. Berlum  18. Fitanido  7. Lozd	N N	2021 2021 2021 2019	21	,403 1 12.2	P. N	MCC/ACLAN  In Rango  Frango  O Rango	IRDI:	bhu bhu spin		2 4	AL=18	日本 日	orchange orchange eston of oston of diliva wi diliva wi in; disc minum moston oston	ot drill from a rational notices lich pro- surge to fattoria of hots rectory Water Water	ocidinal ocidinal docidi docid	on was		- 5.11 5.37 F.
B. Arterlo  10. Bertup  18. Fluurido  7. Load	N N	2021 2021 2021 2019	21	,403 1 12.2	N	MCC/ACLAN  In Rango  Frango  O Rango	IRDI:	bhu bhu spin		2 4	AL=18	District Services	charge ch	of drilling of house	bedeath and so that a second and	on was		· · · · · · · · · · · · · · · · · · ·
R. Affection 10. Bertium 18. Fluorido 17. Local codium 18. Januarido 18. Fluorido 18. Fluorido 18. Affection 19. A	N N N N N N N N N N N N N N N N N N N	2021 2021 2021 2019 2021 Conta 2021	zi wain	,4103 1 12,2 ants	N	MCLIACIAN la Rànga la Ranga la Ranga	ARDI:	bhtu bhp Bhu spin		9 0 20	AL=18	District Services	charge charge sion of sion of divo with; dec minum moslon dome, c souls and Salt, eminado wego El	of drilling of house	bedeath and so that a second and	on the control of the		一大打印的现在分词 一种
R. Affection 10. Bertian 10. Bertian 10. Fluorido 12. Local 13. Fluorido 14. Cola file On 15. Xylenes	N N N N N N N N N N N N N N N N N N N	2021 2021 2021 2019 2021 Conta 2021	zi wain	2103 1 12.2 203 1 12.2 2015 201777	N	MCLIACIAN  To Range  O Range  O Range	IRDI:	bhtu bhp Bhu spin	0	9 0 20	AL=18	日本ははおりのでは、日本ははおりのでは、日本ははおりのでは、日本ははおりのでは、日本ははおりのでは、日本ははおりのでは、日本はは、日本は、日本は、日本は、日本は、日本は、日本は、日本は、日本は、日	charge ch	ordered of determination of control of control or contr	deposition of reprint	on was		- 21 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3

PWS ID	# 01	900	15		11.6	=	TEST R	FSIN	7'0	•		_		
Contembrant		Violatio	Col	ate ecold	Ley Delec	af	:Range of	Detecta o Impresi		MIB.	MGLG	I N	(GĽ	Likely Source of Contamination
Inorgan	IC.C.	ontai	nina	uts	7 7 2			1		-		-		<u> </u>
a Amonto		N.	2021	4	1.03		No Range		ppb	Ī	n/a	٠	10	Eroelon of natural deposits; ruson
10. Barlem	7	N	2021		50397	•	No Riovie		1				1	from orchardar runoff from glass and alloctronous production winding
14.Copper	-	N.	20192				u resolicatió		Dim.		2		2	discharge from motol reflections
•	• [		2019		0		0		pom		1.3	AL	-1,3	Corresion of materal deposits
17. Load	- 1	4	2019/2	1	7	-	0		-	1	-			systems: crusion of natural depends leading from wood preservatives.
	5			I	÷	1	F \$.		ppa	- 1	. 0	:Al	.H5	Corrosion of household plumbing
ingion .	1		2013*		13000	+	No Ranga		'ppb	+				systems, erosion of natural deposits
12.	J			7	-	7			Pry.	1	D	0	0	Road Salt, Water Treatment Chamicols, Water Sallsonen and
isinfecti	on I	ly-Pr	oduc	ts		> =	1.11		-	-				Sovrego Effluents.
HAAS	N.	20		1	- ]1	lo R	aitha.	ppb.	71	D				· /- 11 (1 se 10
TIHM dal plomothemen)	'N	20	17°	4.48		. 1	engo:	ррь	+	:0		8D	Вуч	Product of drinking water decilion. moduct of drinking water
Joiltie .	N	200		72	-	7-1	8 .	mart	- -		1	1	capa	nnation.
out recent tump oblological Com	le Na	sample	equired	för 20	21.			-		۵	MRDL	=4	Wat	or additive used to control

E 940

of recent annule. No sample required for 2021,

sphological Commission.

Official and the second sec

princet of that a positive graph through which contempted may color the annual graphs are numbered a present.

We use required to neighboryout densiting writer for specific contempted on a mentity basis. Resists of require monitoring are an investor of whether or not our unjected whether or not our unjected whether or not our unjected to color the second of the se

to a show no backing.

If present, closeded lambs of feed can come studies hough problems occasionly for preparative women and young citation, Lead in disking value in problems or control problems. Our want system is responsible for provided find the control problems of control problems and compounds associated with service bear, and home planting. Our want system is responsible for provided find the problems of my problems of the problems of